

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5485519".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 11:42
S2	2	"20030072451".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 12:12
S3	672	380/270-274.ccls. and encrypt\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 13:39
S4	31	380/270-274.ccls. and encrypt\$ with client near5 server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 14:38
S5	21	380/270-274.ccls. and tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:33
S6	29	wireless same tunnel with client with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:29
S7	8	("5528595" "6094437" "6081601" "6253326").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:29
S8	4	("5528595" "6094437" "6081601" "6253326").pn. and wireless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:29

S9	429	380/270-274.ccls. and encrypt\$ near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 15:33
S10	2	"20030072451".pn. and (adapter module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:53
S11	0	remote\$2 near4 ((configuration adj file) near3 (API application adj program adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:27
S12	7	remote\$2 near4 ((configuration ) near3 (API application adj program adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:28
S13	526	((configuration ) near3 (API application adj program adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:46
S14	29	((configuration adj file\$1 ) near3 (API application adj program adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:28
S22	135	((time near3 (limit\$3))) same (memory near3 eras\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 20:33
S23	16	((time near3 (limit\$3) freshhold) near3 memory)near3 eras\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 20:36

S24	75	((time near3 eras\$3 near3 memory)near3 (set configur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 20:42
S25	19	((time near3 clear\$3 near3 memory)near3 (set configur\$3)) not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 20:42
S27	1	"20020046352"	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 11:24
S28	106	server with client with mutual with authentication	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 11:25
S29	15	server with client with mutual with authentication with (SSL TSL TLS)	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 11:25
S30	2	"20030072451".pn. and (trigger\$3 event notification message authentication adj information secure session)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 12:45
S32	96	memory same (time adj out timeout)same erase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:59
S33	7986	memory same erase same time not s13-s32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:47
S34	530	((configuration ) near3 (API application adj program adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S35	29	((configuration adj file\$1 ) near3 (API application adj program adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48

S36	2	"20030072451".pn. and (mechanism embedd\$3 client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S37	2	"20030072451".pn. and (Public key infrastructure mechanism embedd\$3 client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 16:17
S38	2	"20030072451".pn. and (PKI infrastructure mechanism embedd\$3 client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S39	0	"20030072451".pn. and (compliant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S40	2	"20030072451".pn. and (server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S41	2	"20030072451".pn. and (server near3 (wireless WAP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S42	1	"20030072451".pn. and ((WAP near4 compliant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S43	137	((time near3 (limit\$3))) same (memory near3 eras\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48

S44	16	((time near3 (limit\$3) freshhold) near3 memory)near3 eras\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S45	75	((time near3 eras\$3 near3 memory)near3 (set configur\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S46	19	((time near3 clear\$3 near3 memory)near3 (set configur\$3)) not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S47	1	"20030072451".pn. and (notification adj message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S48	1	"20020046352"	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 15:48
S49	106	server with client with mutual with authentication	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 15:48
S50	15	server with client with mutual with authentication with (SSL TLS TLS)	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 15:48
S51	2	"20030072451".pn. and (trigger\$3 event notification message authentication adj information secure session)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S52	76907	memory same (time adj out timeout) erase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S53	96	memory same (time adj out timeout)same erase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48

S54	0	memory same erase same time not (S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S55	3723585	memory near\$3 eras\$3 same time not (S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:48
S56	185634	(memory near\$3 eras\$3) near4 time not (S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:51
S57	3676	(memory near\$3 eras\$3) near4 time not (S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53) and ("380"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:51
S58	8	(memory near\$3 eras\$3) near4 time same time adj limit not (S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53) and ("380"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:51
S59	12	(memory near\$3 eras\$3) near4 time same time adj3 limit not (S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53) and ("380"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:59
S60	0	(memory near\$3 eras\$3) near4 time same time adj1 out not (S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53 S54 S55 S56 S57 S58 S59) and ("380"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:55
S61	0	(memory near\$2 eras\$3) near3 time not (S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53 S54 S55 S56 S57 S58 S59) and ("380"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:56

S62	0	(memory near\$2 eras\$3) near4 time not (S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53 S54 S55 S56 S57 S58 S59) and ("380"/\$.ccls. "713"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:56
S63	0	set adj up near2 time same erase near4 memory not (S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 16:00
S64	0	time same erase near4 memory not (S34 S35 S36 S37 S38 S39 S40 S41 S42 S43 S44 S45 S46 S47 S48 S49 S50 S51 S52 S53)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 16:00
S65	6	set adj up near2 time same erase near4 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 16:00
S66	1	"20030072451".pn. and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 16:18
S67	9	cell adj phone same authenticat\$3 same username near3 password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 16:20
S68	16	cell adj phone same username near3 password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 16:21
S69	122	wireless same username near3 password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 16:21

S70	25	wireless adj device same username near3 password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:19
S71	11	wireless same address near3 password same authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:20
S72	360	address near3 password same authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:21
S74	2	address near3 password same authenticat\$4 and 713/176.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:21
S75	76	address near3 password same authenticat\$4 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 17:22
S76	1682	erase same (ram eeprom) same time	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 18:27
S77	107	erase near3 (ram eeprom) near5 time	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 18:27
S78	107	(erase near3 (ram eeprom)) near5 time	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 18:28
S79	2	(erase near3 (ram eeprom)) near5 time and ("713"/\$.ccls. "380"/\$.ccls. )	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 18:30
S80	0	(wipe near3 (memory ram eeprom)) near5 time and ("713"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 18:30
S81	3	(wipe near3 (memory ram eeprom)) and ("713"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; EPO	OR	OFF	2005/03/24 18:30



Set	Items	Description
S1	169742	(FLASH OR VOLATILE OR TEMPORAR?) (N) (MEMOR? OR STORAGE? OR - BUFFER? OR CACHE?) OR EPROM OR PROM OR EEPROM OR RAM
S2	141614	EXPIR? OR DURATION? OR TIME() (LIMIT? OR DURATION? OR INTER- VAL?)
S3	445942	CLEAR? OR EMPTY? OR EMPTIES OR DYING OR WIPE? OR ERASE? OR ERASING OR EMPTY?
S4	264364	REMOTE? OR OFFSITE? OR OFF() SITE? OR MANAGEMENT() (MODULE? - OR SYSTEM?)
S5	131	S1 AND S2 AND S3
S6	2	S4 AND S5
S7	34	S5 AND IC=(G06F? OR H04K?)
S8	180	S1(5N)S2
S9	14	S8 AND S3
S10	45	S9 OR S7 OR S6
S11	45	IDPAT (sorted in duplicate/non-duplicate order)
S12	45	IDPAT (primary/non-duplicate records only)

File 347:JAPIO Nov 1976-2004/Nov(Updated 050309)  
(c) 2005 JPO & JAPIO

File 350:Derwent WPIX 1963-2005/UD,UM &UP=200519  
(c) 2005 Thomson Derwent